

S3 Leitlinie „Perioperatives Management gastrointestinaler Tumoren (POMGAT)“ – eine Zusammenfassung der relevantesten Empfehlungen für die onkologische Viszeralchirurgie

Korrespondierender Autor:

Prof. Dr. med. Tim O. Vilz

Klinik und Poliklinik für Allgemein-, Viszeral-, Thorax- und Gefäßchirurgie

Universitätsklinikum Bonn

Venusberg Campus 1

53127 Bonn

tim.vilz@ukbonn.de

Zitation:

Vilz TO, Post S, Willis M: S3 Leitlinie „Perioperatives Management gastrointestinaler Tumoren (POMGAT)“. Passion Chirurgie. 2024 Dezember; 14(12/IV): Artikel 03_04.

Literatur

- [1] Yeo HL, O'Mahoney PR, Lachs M, Michelassi F, Mao J, Finlayson E, et al. Surgical oncology outcomes in the aging US population. *The Journal of surgical research*. 2016;205(1):11-8.
- [2] Nachiappan S, Askari A, Mamidanna R, Munasinghe A, Currie A, Stebbing J, et al. Initiation of adjuvant chemotherapy within 8 weeks of elective colorectal resection improves overall survival regardless of reoperation. *Colorectal Dis*. 2016;18(11):1041-9.
- [3] Zhi X, Kuang X, Li J. The Impact of Perioperative Events on Cancer Recurrence and Metastasis in Patients after Radical Gastrectomy: A Review. *Cancers*. 2022;14(14).
- [4] Bardram L, Funch-Jensen P, Jensen P, Crawford ME, Kehlet H. Recovery after laparoscopic colonic surgery with epidural analgesia, and early oral nutrition and mobilisation. *Lancet*. 1995;345(8952):763-4.
- [5] Gustafsson UO, Scott MJ, Hubner M, Nygren J, Demartines N, Francis N, et al. Guidelines for Perioperative Care in Elective Colorectal Surgery: Enhanced Recovery After Surgery (ERAS((R))) Society Recommendations: 2018. *World journal of surgery*. 2018.
- [6] Gustafsson UO, Opielstrup H, Thorell A, Nygren J, Ljungqvist O. Adherence to the ERAS protocol is Associated with 5-Year Survival After Colorectal Cancer Surgery: A Retrospective Cohort Study. *World journal of surgery*. 2016;40(7):1741-7.
- [7] Zorrilla-Vaca A, Ripolles-Melchor J, Abad-Motos A, Mingu IR, Moreno-Jurado N, Martinez-Duran F, et al. Association between enrollment in an enhanced recovery program for colorectal cancer surgery and long-term recurrence and survival. *J Surg Oncol*. 2022;125(8):1269-76.
- [8] Willis MA, Keller PS, Sommer N, Koch F, Ritz JP, Beyer K, et al. Adherence to fast track measures in colorectal surgery-a survey among German and Austrian surgeons. *International journal of colorectal disease*. 2023;38(1):80.
- [9] van Beekum C, Stoffels B, von Websky M, Ritz JP, Stinner B, Post S, et al. [Implementation of a fast track program : Challenges and solution approaches]. *Chirurg*. 2020;91(2):143-9.
- [10] Willis MA PS, Vilz TO. Leitlinienprogramm Onkologie (Deutsche Krebsgesellschaft, Deutsche Krebshilfe, AWMF): Perioperatives Management bei gastrointestinalen Tumoren (POMGAT), Leitlinienreport 1.0, 2023, AWMF-Registernummer: 088-010OL. 2023.
- [11] Willis MA, Post S, Nothacker M, Follmann M, Langer T, Vilz TO. A methodological protocol for the development of a national guideline on perioperative management of gastrointestinal tumors in Germany. *Perioper Med (Lond)*. 2024;13(1):25.

- [12] Molenaar CJ, van Rooijen SJ, Fokkenrood HJ, Roumen RM, Janssen L, Slooter GD. Prehabilitation versus no prehabilitation to improve functional capacity, reduce postoperative complications and improve quality of life in colorectal cancer surgery. The Cochrane database of systematic reviews. 2022;5(5):CD013259.
- [13] Molenaar CJL, Minnella EM, Coca-Martinez M, Ten Cate DWG, Regis M, Awasthi R, et al. Effect of Multimodal Prehabilitation on Reducing Postoperative Complications and Enhancing Functional Capacity Following Colorectal Cancer Surgery: The PREHAB Randomized Clinical Trial. *JAMA surgery*. 2023.
- [14] Forsmo HM, Erichsen C, Rasdal A, Tvinnereim JM, Korner H, Pfeffer F. Randomized Controlled Trial of Extended Perioperative Counseling in Enhanced Recovery After Colorectal Surgery. *Dis Colon Rectum*. 2018;61(6):724-32.
- [15] Perioperative care in adults. National Institute for Health and Care Excellence: Guidelines. London 2020.
- [16] Willis MA, Toews I, Soltau SL, Kalff JC, Meerpohl JJ, Vilz TO. Preoperative combined mechanical and oral antibiotic bowel preparation for preventing complications in elective colorectal surgery. The Cochrane database of systematic reviews. 2023;2(2):CD014909.
- [17] Scheufele F, Schirren R, Friess H, Reim D. Selective decontamination of the digestive tract in upper gastrointestinal surgery: systematic review with meta-analysis of randomized clinical trials. *BJs open*. 2020;4(6):1015-21.
- [18] Eckmann C, Aghdassi SJS, Brinkmann A, Pletz M, Rademacher J. Perioperative Antibiotic Prophylaxis-Indications and Modalities for the Prevention of Postoperative Wound Infection. *Dtsch Arztebl Int*. 2024(Forthcoming).
- [19] [Not Available]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2018;61(4):448-73.
- [20] Choi HK, Law S, Chu KM, Wong J. The value of neck drain in esophageal surgery: a randomized trial. *Dis Esophagus*. 2017;11(1):40-2.
- [21] Bull A, Pucher PH, Lagergren J, Gossage JA. Chest drainage after oesophageal resection: A systematic review. *Dis Esophagus*. 2022;35(7).
- [22] Bhandari R, Hao YY. Implementation and Effectiveness of Early Chest Tube Removal during an Enhanced Recovery Programme after Oesophago-gastrectomy. *JNMA J Nepal Med Assoc*. 2015;53(197):24-7.
- [23] Weindelmayer J, Mengardo V, Veltri A, Torroni L, Zhao E, Verlato G, et al. Should we still use prophylactic drain in gastrectomy for cancer? A systematic review and meta-analysis. *European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology*. 2020;46(8):1396-403.
- [24] He S, Xia J, Zhang W, Lai M, Cheng N, Liu Z, et al. Prophylactic abdominal drainage for pancreatic surgery. The Cochrane database of systematic reviews. 2021;12(12):CD010583.
- [25] Dezfouli SA, Unal UK, Ghamarnejad O, Khajeh E, Ali-Hasan-Al-Saegh S, Ramouz A, et al. Systematic review and meta-analysis of the efficacy of prophylactic abdominal drainage in major liver resections. *Sci Rep*. 2021;11(1):3095.
- [26] Podda M, Di Saverio S, Davies RJ, Atzeni J, Balestra F, Viridis F, et al. Prophylactic intra-abdominal drainage following colorectal anastomoses. A systematic review and meta-analysis of randomized controlled trials. *Am J Surg*. 2020;219(1):164-74.
- [27] Slooter MD, Eshuis WJ, Cuesta MA, Gisbertz SS, van Berge Henegouwen MI. Fluorescent imaging using indocyanine green during esophagectomy to prevent surgical morbidity: a systematic review and meta-analysis. *J Thorac Dis*. 2019;11(Suppl 5):S755-S65.
- [28] Nachiappan S, Askari A, Currie A, Kennedy RH, Faiz O. Intraoperative assessment of colorectal anastomotic integrity: a systematic review. *Surgical endoscopy*. 2014;28(9):2513-30.
- [29] Chan DKH, Lee SKF, Ang JJ. Indocyanine green fluorescence angiography decreases the risk of colorectal anastomotic leakage: Systematic review and meta-analysis. *Surgery*. 2020;168(6):1128-37.

- [30] Weijs TJ, Kumagai K, Berkelmans GH, Nieuwenhuijzen GA, Nilsson M, Luyer MD. Nasogastric decompression following esophagectomy: a systematic literature review and meta-analysis. *Dis Esophagus*. 2017;30(3):1-8.
- [31] Wang D, Li T, Yu J, Hu Y, Liu H, Li G. Is nasogastric or nasojejunal decompression necessary following gastrectomy for gastric cancer? A systematic review and meta-analysis of randomised controlled trials. *J Gastrointest Surg*. 2015;19(1):195-204.
- [32] Wen Z, Zhang X, Liu Y, Bian L, Chen J, Wei L. Is routine nasogastric decompression after hepatic surgery necessary? A systematic review and meta-analysis. *Int J Nurs Stud*. 2019;100:103406.
- [33] Bergeat D, Merdrignac A, Robin F, Gaignard E, Rayar M, Meunier B, et al. Nasogastric Decompression vs No Decompression After Pancreaticoduodenectomy: The Randomized Clinical IPOD Trial. *JAMA surgery*. 2020;155(9):e202291.
- [34] Rao W, Zhang X, Zhang J, Yan R, Hu Z, Wang Q. The role of nasogastric tube in decompression after elective colon and rectum surgery: a meta-analysis. *International journal of colorectal disease*. 2011;26(4):423-9.
- [35] Castelo M, Sue-Chue-Lam C, Kishibe T, Acuna SA, Baxter NN. Early urinary catheter removal after rectal surgery: systematic review and meta-analysis. *BJS open*. 2020;4(4):545-53.
- [36] Schnabel A, Carstensen VA, Lohmoller K, Vilz TO, Willis MA, Weibel S, et al. Perioperative pain management with regional analgesia techniques for visceral cancer surgery: A systematic review and meta-analysis. *J Clin Anesth*. 2024;95:111438.
- [37] Ossola P, Mascioli F, Coletta D, Pizzato M, Bononi M. Evidence on postoperative abdominal binding: A systematic review with meta-analysis of randomized controlled trials. *The surgeon : journal of the Royal Colleges of Surgeons of Edinburgh and Ireland*. 2021;19(4):244-51.
- [38] Reichert M, Willis F, Post S, Schneider M, Vilz T, Willis M, et al. Pharmacologic prevention and therapy of postoperative paralytic ileus after gastrointestinal cancer surgery - systematic review and meta-analysis. *International journal of surgery*. 2024.
- [39] Castelino T, Fiore JF, Jr., Niculiseanu P, Landry T, Augustin B, Feldman LS. The effect of early mobilization protocols on postoperative outcomes following abdominal and thoracic surgery: A systematic review. *Surgery*. 2016;159(4):991-1003.
- [40] Sullivan KA, Churchill IF, Hylton DA, Hanna WC. Use of Incentive Spirometry in Adults following Cardiac, Thoracic, and Upper Abdominal Surgery to Prevent Post-Operative Pulmonary Complications: A Systematic Review and Meta-Analysis. *Respiration*. 2021;100(11):1114-27.
- [41] Triantafyllou T, Olson MT, Theodorou D, Schizas D, Singhal S. Enhanced recovery pathways vs standard care pathways in esophageal cancer surgery: systematic review and meta-analysis. *Esophagus*. 2020;17(2):100-12.
- [42] Changsheng H, Shengli S, Yongdong F. Application of enhanced recovery after surgery (ERAS) protocol in radical gastrectomy: a systemic review and meta-analysis. *Postgrad Med J*. 2020;96(1135):257-66.
- [43] Kuemmerli C, Tschuor C, Kasai M, Alseidi AA, Balzano G, Bouwense S, et al. Impact of enhanced recovery protocols after pancreatoduodenectomy: meta-analysis. *The British journal of surgery*. 2022;109(3):256-66.
- [44] Noba L, Rodgers S, Chandler C, Balfour A, Hariharan D, Yip VS. Enhanced Recovery After Surgery (ERAS) Reduces Hospital Costs and Improve Clinical Outcomes in Liver Surgery: a Systematic Review and Meta-Analysis. *J Gastrointest Surg*. 2020;24(4):918-32.
- [45] Ni X, Jia D, Chen Y, Wang L, Suo J. Is the Enhanced Recovery After Surgery (ERAS) Program Effective and Safe in Laparoscopic Colorectal Cancer Surgery? A Meta-Analysis of Randomized Controlled Trials. *J Gastrointest Surg*. 2019;23(7):1502-12.
- [46] Finnerty DT, Buggy DJ. Return to intended oncologic therapy: a potentially valuable endpoint for perioperative research in cancer patients? *Br J Anaesth*. 2020;124(5):508-10.